

Centers for Medicare & Medicaid Services (CMS)

# Standard Companion Guide Health Care Claim: Professional (837P)

Based on ASC X12N TR3, Version 005010X222A1

Companion Guide Version Number: 7.1, June 2023

### **Disclosure Statement**

The Centers for Medicare & Medicaid Services (CMS) is committed to maintaining the integrity and security of health care data in accordance with applicable laws and regulations. Disclosure of Medicare claims is restricted under the provisions of the Privacy Act of 1974 and Health Insurance Portability and Accountability Act of 1996. This Companion Guide is to be used for conducting Medicare business only.

### **Preface**

This Companion Guide (CG) to the ASC X12N Technical Report Type 3 (TR3) Version 005010 and associated errata adopted under Health Insurance Portability and Accountability Act of 1996 (HIPAA) clarifies and specifies the data content when exchanging transactions electronically with Medicare. Transmissions based on this CG, used in tandem with the TR3, are compliant with both ASC X12N syntax and those guides. This CG is intended to convey information that is within the framework of the TR3 adopted for use under HIPAA. This CG is not intended to convey information that in any way exceeds the requirements or usages of data expressed in the TR3.

This CG contains instructions for electronic communications with the publishing entity, as well as supplemental information, for creating transactions while ensuring compliance with the associated ASC X12N TR3s and the Council for Affordable Quality Healthcare – Committee on Operating Rules for Information Exchange (CAQH CORE) companion guide operating rules.

In addition, this CG contains the information needed by Trading Partners to send and receive electronic data with the publishing entity, who is acting on behalf of CMS, including detailed instructions for submission of specific electronic transactions. The instructional content is limited by ASC X12N's copyrights and Fair Use statement.

# **Table of Contents**

Disc	losure Statement	II
Pref	ace	iii
1	Introduction	1 1
2	Getting Started  2.1 Working Together  2.2 Trading Partner Registration	3 3
3	Testing and Certification Requirements  3.1 Testing Requirements  3.2 Certification Requirements	6
4	Connectivity / Communications 4.1 Process Flows 4.2 Transmission 4.2.1 Re-transmission Procedures 4.3 Communication Protocol Specifications 4.4 Security Protocols and Passwords Digicert Entrust	7 8 8 8
5	Contact Information.  5.1 EDI Customer Service	9 9 9 10 10
6	Control Segments / Envelopes  6.1 ISA-IEA  Delimiters – Inbound Transactions  Delimiters – Outbound Transactions  Inbound Data Element Detail and Explanation  6.2 GS-GE	12 12 12 13

	6.3 ST-SE	13
7	Specific Business Rules	13
	7.1 General Notes	13
	7.2 General Transaction Notes	15
8	Acknowledgments and Reports	16
•	8.1 Report Inventory	
9	Trading Partner Agreement	
10	Transaction-Specific Information	17
-0	10.1 Header	
	10.1.1 Header and Information Source	
	10.1.2 Loop 1000A Submitter Name	
	10.1.3 Loop 1000B Receiver Name	
	10.2 Billing Provider	
	10.2.1 Loop 2000A Billing Provider Detail	18
	10.2.2 Loop 2010AA Billing Provider Name	19
	10.3 Subscriber Detail	19
	10.3.1 Loop 2000B Subscriber Hierarchical Level	19
	10.3.2 Loop 2010BA Subscriber Name	20
	10.3.3 Loop 2010BB Payer Name	21
	10.4 Patient Detail	22
	10.4.1 Loop 2300 Claim Information	22
	10.4.2 Loop 2310A Referring Provider Name	
	10.4.3 Loop 2310B Rendering Provider Name	
	10.4.4 Loop 2310C Service Facility Location	
	10.4.5 Loop 2310D Supervising Provider Name	
	10.4.6 Loop 2320 Other Subscriber Information	
	10.4.7 Loop 2330A Other Subscriber Name	
	10.4.8 Loop 2330B Other Payer Name	
	10.4.9 Loop 2400 Service Line Number	
	10.4.10 Loop 2410 Drug Identification	
	10.4.11 Loop 2420A Rendering Provider Name	
	10.4.12 Loop 2420C Service Facility Location	
	10.4.13 Loop 2420D Supervising Provider Name	
	10.4.14 Loop 2420E Ordering Provider Name	
	10.4.15 Loop 2420F Referring Provider Name	
	10.4.16 Loop 2430 Line Adjudication Information	
	10.4.17 Loop 2440 Form Identification Code	
	10.4.18 Transaction Set Trailer	
11	!!	
	11.1 Implementation Checklist	
	11.2 Transmission Examples	
	11.3 Frequently Asked Questions	42

11.4 Acronym Listing	.43
11.5 Change Summary	.45

# **List of Tables**

Table 1. EDI Transactions and Code Set References	2
Table 2. Additional EDI Resources	2
Table 3. ISA Interchange Control Header	11
Table 4. GS Functional Group Header	11
Table 5. Outbound Transaction Delimiters	
Table 6. Segment / Elements Not Accepted by Medicare	13
Table 7. ST Transaction Set Header	17
Table 8. BHT Beginning of Hierarchical Transaction	
Table 9. Loop 1000A NM1 Submitter Name	18
Table 10. Loop 1000B NM1 Receiver Name	
Table 11. Loop 2000A Billing Provider Detail	19
Table 12. Loop 2010AA Billing Provider Name	
Table 13. Loop 2000B HL Subscriber Hierarchical Level	19
Table 14. Loop 2000B SBR Subscriber Information	
Table 15. Loop 2000B PAT Patient Information	
Table 16. Loop 2010BA NM1 Subscriber Name	
Table 17. Loop 2010BA DMG Subscriber Demographic Information	
Table 18. Loop 2010BB NM1 Payer Name	
Table 19. Loop 2300 CLM Claim Information	
Table 20. Loop 2300 DTP Date Elements	
Table 21. Loop 2300 DTP Admission Date	23
Table 22. Loop 2300 PWK Claim Supplement Information	
Table 23. Loop 2300 CR1 Ambulance Transport Information	
Table 24. Loop 2300 HI Health Care Diagnosis Code	24
Table 25. Loop 2310A NM1 Referring Provider Name	25
Table 26. Loop 2310B NM1 Rendering Provider Name	
Table 27. Loop 2310C N4 Service Facility Location	25
Table 28. Loop 2310D NM1 Supervising Provider Name	
Table 29. Loop 2320 SBR Other Subscriber Information	26
Table 30. Loop 2320 CAS Claim Level Adjustments	26
Table 31. Loop 2320 AMT COB Payer Paid Amount	
Table 32. Loop 2330A NM1 Other Subscriber Name	27
Table 33. Loop 2330A REF Other Subscriber Secondary Identification	27
Table 34. Loop 2330B DTP Claim Check or Remittance Date	28
Table 35. Loop 2400 SV1 Professional Service	28
Table 36. Loop 2400 PWK DME Certificate of Medical Necessity Indicator	
Table 37. Loop 2400 CR1 Ambulance Transport Information	
Table 38. Loop 2400 CR3 Durable Medical Equipment Certification	30
Table 39. Loop 2400 CRC Condition Indicator/ Durable Medical Equipment	31
Table 40. Loop 2400 DTP Service Date	
Table 41. Loop 2400 QTY Ambulance Patient Count	34

Table 42. L	oop 2400 QTY Obstetric Anesthesia Additional Units	34
Table 43. L	oop 2400 MEA Test Results	34
Table 44. L	oop 2410 LIN Drug Identification	35
Table 45. L	oop 2410 CTP Drug Quantity	35
	oop 2410 CTP Prescription or Compound Drug Association Number	
Table 47. L	oop 2420A NM1 Rendering Provider Name	36
Table 48. L	oop 2420C N4 Service Facility Location	36
Table 49. L	oop 2420D NM1 Supervising Provider Name	36
Table 50. L	oop 2420E NM1 Ordering Provider Name	37
	oop 2420F NM1 Referring Provider Name	
Table 52. L	oop 2430 SVD Line Adjudication Information	37
Table 53. L	oop 2430 DTP Line Check or Remittance Date	38
Table 54. L	oop 2440 LQ Form Identification Code	38
	oop 2440 FRM Supporting Documentation	
Table 56. S	SE Transaction Set Trailer4	<b>ļ</b> 1
	Acronyms Listing and Definitions4	
	Companion Guide Version History4	

# **List of Figures**

Figure 1. NHS EDISS 837P Process flow	
Figure 2. 999 Example	42
Figure 3. 277CA Example	42

#### 1 Introduction

This document is intended to provide information from the author of this guide to Trading Partners to give them the information they need to exchange Electronic Data Interchange (EDI) data with the author. This includes information about registration, testing, support, and specific information about control record setup.

An EDI Trading Partner is defined as any Medicare customer (e.g., provider/supplier, billing service, clearinghouse, or software vendor) that transmits to, or receives electronic data from Medicare. Medicare's EDI transaction system supports transactions adopted under the Health Insurance Portability and Accountability Act of 1996 (HIPAA) as well as additional supporting transactions as described in this guide.

Medicare Fee-For-Service (FFS) is publishing this Companion Guide (CG) to clarify, supplement, and further define specific data content requirements to be used in conjunction with, and not in place of, the ASC X12N Technical Report Type 3 (TR3) Version 005010 and associated errata mandated by HIPAA and/or adopted by Medicare FFS for EDI.

This CG provides communication, connectivity, and transaction-specific information to Medicare FFS Trading Partners and serves as the authoritative source for Medicare FFS-specific EDI protocols.

Additional information on Medicare FFS EDI practices are referenced within Internet-only Manual (IOM) Pub. 100-04 Medicare Claims Processing Manual:

Chapter 24 – <u>General EDI and EDI Support, Requirements, Electronic Claims, and Mandatory Electronic Filing of Medicare Claims</u> (https://www.cms.gov/Regulations-and-Guidance/Guidance/Manuals/downloads/clm104c24.pdf)

# 1.1 Scope

EDI addresses how Trading Partners exchange professional and institutional claims, claim acknowledgments, claim remittance advice, claim status inquiry and responses, and eligibility inquiry and responses electronically with Medicare. This CG also applies to ASC X12N 837P transactions that are being exchanged with Medicare by third parties, such as clearinghouses, billing services or network service vendors.

This CG provides technical and connectivity specification for the 837 Health Care Claim: Professional transaction Version 005010A1.

#### 1.2 Overview

This CG includes information needed to commence and maintain communication exchange with Medicare. In addition, this CG has been written to assist you in designing and implementing the ASC X12N 837P transaction standard to meet Medicare's processing standards. This information is organized in the sections listed below:

Getting Started: This section includes information related to hours of operation, and data services.
 Information concerning Trading Partner registration and the Trading Partner testing process is also included in this section.

- Testing and Certification Requirements: This section includes detailed transaction testing information as well as certification requirements needed to complete transaction testing with Medicare.
- *Connectivity/Communications:* This section includes information on Medicare's transmission procedures as well as communication and security protocols.
- *Contact Information:* This section includes EDI customer service, EDI technical assistance, Trading Partner services and applicable websites.
- Control Segments/Envelopes: This section contains information needed to create the Interchange Control Header/Trailer (ISA/IEA), Functional Group Header/Trailer (GS/GE), and Transaction Set Header/Trailer (ST/SE) control segments for transactions to be submitted to or received from Medicare.
- Specific Business Rules and Limitations: This section contains Medicare business rules and limitations specific to the ASC X12N 837P.
- Acknowledgments and Reports: This section contains information on all transaction acknowledgments sent by Medicare and report inventory.
- *Trading Partner Agreement:* This section contains information related to implementation checklists, transmission examples, Trading Partner Agreements and other resources.
- *Transaction Specific Information:* This section describes the specific CMS requirements over and above the information in the ASC X12N 837P TR3.

#### 1.3 References

The following locations provide information for where to obtain documentation for Medicare-adopted EDI transactions and code sets.

Table 1. EDI Transactions and Code Set References

Resource	Location
ASC X12N TR3s	The official ASC X12 website.
Washington Publishing Company Health Care Code Sets	The official Washington Publishing Company website.

#### 1.4 Additional Information

The websites in the following table provide additional resources for HIPAA Version 005010A1 implementation:

Table 2. Additional EDI Resources

Resource	Web Address	
Medicare FFS EDI Operations	https://www.cms.gov/ElectronicBillingEDITrans/	

# 2 Getting Started

# 2.1 Working Together

Noridian Healthcare Solutions (NHS) is dedicated to providing communication channels to ensure communication remains constant and efficient. NHS has several options to assist the community with their electronic data exchange needs. By using any of these methods NHS is focused on supplying the Trading Partner community with a variety of support tools.

An EDI help desk is established for the first point of contact for basic information and troubleshooting. The help desk is available to support most EDI questions/incidents while at the same time being structured to triage each incident if more advanced research is needed. Email is also accessible as a method of communicating with NHS EDI. The email account is monitored by knowledgeable staff ready to assist you. When communicating via email, please exclude any protected health information (PHI) to ensure security is maintained. In addition to the NHS's EDI help desk and email access, see Section 5 for additional contact information.

NHS also has several external communication components in place to reach out to the Trading Partner community. NHS posts all critical updates, system issues and EDI-specific billing material to their <a href="website">website</a> (http://www.edissweb.com/cgp). All Trading Partners are encouraged to visit this page to ensure familiarity with the content of the site. NHS also distributes EDI pertinent information in the form of an EDI newsletter or comparable publication, which is posted to the website every month. In addition to the website, a distribution list has been established in order to broadcast urgent messages. Please register for <a href="NHS's EDI Distribution list">NHS's EDI Distribution list</a> (http://www.edissweb.com/cgp).

# 2.2 Trading Partner Registration

An EDI Trading Partner is any entity (provider, billing service, clearinghouse, software vendor, employer group, financial institution, etc.) that transmits electronic data to, or receives electronic data from, another entity.

Medicare FFS and NHS support many different types of Trading Partners or customers for EDI. To ensure proper registration, it is important to understand the terminology associated with each customer type:

- Submitter the entity that owns the submitter ID associated with the health care data being submitted. It is most likely the provider, hospital, clinic, supplier, etc., but could also be a third party submitting on behalf of one of these entities. However, a submitter must be directly linked to each billing National Provider Identifier (NPI). Often the terms submitter and Trading Partner are used interchangeably because a Trading Partner is defined as the entity engaged in the exchange or transmission of electronic transactions. Thus, the entity that is submitting electronic administrative transactions to NHS is a Medicare FFS Trading Partner.
- Vendor an entity that provides hardware, software, and/or ongoing technical support for covered entities. In EDI, a vendor can be classified as a software vendor, billing or network service vendor, or clearinghouse.

- Software Vendor an entity that creates software used by Trading Partners to conduct the exchange of electronic transactions with Medicare FFS.
- Billing Service a third party that prepares and/or submits claims for a provider.
- Clearinghouse a third party that submits and/or exchanges electronic transactions (claims, claim status or eligibility inquiries, remittance advice, etc.) on behalf of a provider.
- Network Service Vendor a third party that provides connectivity between a Trading Partner and NHS.

Medicare requires all trading partners to complete EDI registration and the EDI Enrollment form. The EDI enrollment form designates the Medicare contractor as the entity they agree to engage in for EDI and ensures agreement between parties to implement standard policies and practices to ensure the security and integrity of information exchanged. The forms can be accessed by creating an account with the <a href="Noridian EDISS Connect-registration portal">Noridian EDISS Connect-registration portal</a> (https://connect.edissweb.com/).

A Trading Partner's EDISS Connect profile will hold all contact and billing information as well as list vendor associations. All required forms can be printed directly from the website. EDISS Connect can also be accessed from the registration page on the <u>Noridian EDISS website</u> (http://www.edissweb.com/cgp/).

Under HIPAA, EDI applies to all covered entities transmitting the following HIPAA-established administrative transactions: 837I and 837P, 835, 270/271, 276/277, and the National Council for Prescription Drug Programs (NCPDP) D.O. Additionally, Medicare Administrative Contractors (MACs) and Common Electronic Data Interchange (CEDI) will use the Interchange Acknowledgment (TA1), Implementation Acknowledgment (999), and 277 Claim Acknowledgement (277CA) error-handling transactions.

Medicare requires that NHS furnish information on EDI to new Trading Partners that request Medicare claim privileges. Additionally, Medicare requires NHS to assess the capability of entities to submit data electronically, establish their qualifications (see test requirements in Section 3), and enroll and assign submitter EDI identification numbers to those approved to use EDI.

A provider must obtain an NPI and furnish that NPI to NHS prior to completion of an initial EDI Enrollment Agreement and issuance of an initial EDI number and password by that contractor. NHS is required to verify that NPI is on the Provider Enrollment Chain and Ownership System (PECOS). If the NPI is not verified on the PECOS, the EDI Enrollment Agreement is denied, and the provider is encouraged to contact the appropriate MAC provider enrollment department (for Medicare Part A and Part B provider) or the National Supplier Clearinghouse (for Durable Medical Equipment suppliers) to resolve the issue. Once the NPI is properly verified, the provider can reapply the EDI Enrollment Agreement.

A Trading Partner's EDI number and password serve as an electronic signature and the Trading Partner would be liable for any improper usage or illegal action performed with it. A Trading Partner's EDI access number and password are not part of the capital property of the Trading Partner's operation and may not be given to a new owner of the Trading Partner's operation. A new owner must obtain their own EDI access number and password.

If providers elect to submit/receive transactions electronically using a third party such as a billing agent, a clearinghouse, or network services vendor, then the provider is required to have an agreement signed by that

third party. The third party must agree to meet the same Medicare security and privacy requirements that apply to the provider in regard to viewing or using Medicare beneficiary data. These agreements are not to be submitted to Medicare but are to be retained by the provider. Providers will notify NHS which third party agents they will be using on their EDI Enrollment form.

Third parties are required to register with NHS by completing the <a href="third-party agreement form">third-party agreement form</a> (http://www.edissweb.com/cgp/vendors/). This will ensure that their connectivity is completed properly, however they may need to enroll in mailing lists separately in order to receive all publications and email notifications.

Trading Partners must also be informed that they are not permitted to share their personal EDI access number and password with any billing agent, clearinghouse, or network service vendor. Trading Partners must also not share their personal EDI access number with anyone on their own staff who does not need to see the data for completion of a valid electronic claim, to process a remittance advice for a claim, to verify beneficiary eligibility, or to determine the status of a claim. No other non-staff individuals or entities may be permitted to use a Trading Partner's EDI number and password to access Medicare systems. Clearinghouse and other third-party representatives must obtain and use their own unique EDI access number and password from NHS. For a complete reference to security requirements, see Section 4.4.

### 2.3 Trading Partner Certification and Testing Process

Noridian trading partner certification and testing is managed within the EDISS Connect website. When a trading partner registers for transactions, EDISS Connect will indicate which of the new transactions require testing. A file containing at least 10 claims must be submitted for each transaction that requires testing.

NHS EDISS will assign a unique user id and password to each Trading Partner not utilizing HTTPS connectivity. Credential information will be sent to the Trading Partner upon successful registration through EDISS Connect.

Prior to submitting a test file, please allow 10 business days from the date your direct 837 transaction was added to Connect for your testing setup to be completed.

Submit your test file. Please ensure there is a 'T' indicator in the ISA15.

Retrieve your response reports. Section 8 of this document contains specific information regarding the acknowledgement reports you will receive.

If all transmissions have been accepted, NHS will approve the transaction for production. Production status will be granted within ¬7-10 days of submitting a successful test file. A file is considered accepted if:

- The TA1 response report does not contain a TA104 equal to "R".
- The 999 response report does not contain contains an AK901 equal to "R".
- The 277CA response report does not contain a 2200B Rejected Quantity segment.

If rejected, the response reports will provide details on the errors in the file. Please correct the errors and resubmit your test file.

If assistance with the rejection is needed, you can contact EDISS. See section 5 for the relevant contact information.

# 3 Testing and Certification Requirements

# 3.1 Testing Requirements

All submitters must produce accurate electronic test files before being allowed to submit claim transactions in production. Test claims are subject to ASC X12N standard syntax and TR3 semantic data edits. Documentation will be provided when this process detects errors.

- Standard syntax testing validates the programming of the incoming file and includes file layout, record sequencing, balancing, alpha-numeric/numeric/date file conventions, field values, and relational edits.
   Test files must pass 100 percent of the standard syntax tests before submission to production is approved.
- TR3 Semantic Data testing validates data required for claims processing, e.g., procedure/ diagnosis codes, modifiers. A submitter must demonstrate, at a minimum, 95 percent accuracy rate in data testing before submission in production is approved where, in the judgment of NHS, the vendor/submitter will make the necessary correction(s) prior to submitting a production file. For MACs, the minimum 95 percent accuracy rate includes the <u>front-end edits applied implementation guide editing module</u> (http://www.edissweb.com/docs/shared/837P.pdf).
  - Test results will be provided to the submitter within three business days; during HIPAA version transitions this time period may be extended, not to exceed ten business days.

Many submitters use the same software, or the same clearinghouse to submit their electronic transactions to Medicare. Billing Services or Clearinghouses submitting test files on behalf of providers are eligible for Blanket Approval. Once the minimum criteria have been met, no further testing will be required. All providers submitting directly to Noridian EDISS will be required to test.

Trading Partners who submit transactions directly to more than one A/B MAC, and/or CEDI must contact each A/B MAC and/or CEDI with whom they exchange EDI transactions to inquire about the need for supplemental testing whenever they plan to begin to use an additional EDI transaction, different or significantly modified software for submission of a previously used EDI transaction, or before a billing agent or clearinghouse begins to submit transactions on behalf of an additional Trading Partner. The individual A/B MAC and/or CEDI may need to retest at that time to re-establish compatibility and accuracy, particularly if there will also be a change in the telecommunication connection to be used.

Billing services and clearinghouses are not permitted to begin to submit or receive EDI transactions on behalf of a provider prior to submission of written authorization by the provider that the billing agent or

clearinghouse has been authorized to handle those transactions on the provider's behalf. See Section 2.2 for further information on EDI enrollment.

### 3.2 Certification Requirements


Medicare FFS does not certify Trading Partners. However, NHS does certify vendors, clearinghouses, and billing services by conducting testing with them and maintaining an <u>approved vendor list</u> (http://www.edissweb.com/cgp/vendors/).

# 4 Connectivity / Communications

#### 4.1 Process Flows

The following diagrams show how production and test transactions flow into and out of NHS.

Figure 1. NHS EDISS 837P Process flow



All Medicare claims are collected in Noridian EDISS's front-end processing system. Claim files go through two levels of editing. Claims that don't pass the first level of editing are returned to Trading Partner's in the form of a 999 acknowledgment. Claims that passed the first level of edits are moved into the CMS Combined Common Edits/Enhancements Module (CCEM) for further editing. The CCEM creates a report called the 277CA to notify Trading Partners of claims that are accepted or rejected. Clean claims from the CCEM will get passed to the Medicare payment system for processing and produce an 835 Remittance Advice.

#### 4.2 Transmission

Access to NHS is obtained through an approved Network Service Vendor (NSV), or via SOAP/MIME protocols using an X.509 Certificate.

- Approved NSV's can be found on our <u>website</u> (http://www.edissweb.com/cgp/software/)
- SOAP/MIME information can be found in section 4.4.
  - See Section 4.4 for a list of approved X.509 Certificate vendors.

 The X.509 certificate will be uploaded to EDISS Connect when a trading partner registers for HTTPS connectivity.

#### 4.2.1 Re-transmission Procedures

Transmissions that have received successful 999 or 277CA acknowledgement reports should not be resubmitted unless NHS has provided specific instruction to resend the transmission. A notice will be posted via email distribution if re-transmissions are necessary.

# 4.3 Communication Protocol Specifications

- Utilization of a third-party Network Service Vendor (NSV)
  - A network service vendor (NSV) can provide secure connectivity to NHS for the 837, 835, and 276-277 transactions. Please contact the NSVs for details about the specific products and services they offer. A list of NSVs that currently connect to NHS can be found <a href="here">here</a>: (http://www.edissweb.com/cgp/software/).
- HTTPS connectivity using SOAP or MIME
  - Trading partners can submit 276-277 transactions; and receive 835's, via HTTPS connectivity.
     Security is provided by an X.509 certificate. This certificate must be obtained by the submitter.
     See section 4.4 for more details.
  - Note: This connectivity is conducted as defined by the CORE Operating Rules. 276-277 and 835 transactions are eligible to use HTTPS. See <u>CORE Rule 270</u>
     (https://www.caqh.org/sites/default/files/core/phase-ii/Phase II.Connectivity Rule.pdf) for more information.

# 4.4 Security Protocols and Passwords

All Trading Partners must adhere to CMS information security policies; including, but not limited to, the transmission of electronic claims, claim status, receipt of the remittance advice, or any system access to obtain beneficiary PHI and/or eligibility information. Violation of this policy will result in revocation of all methods of system access. NHS is responsible for notifying all affected Trading Partners as well as reporting the system revocation to CMS.

NHS EDISS assigns a unique user id and password to each Trading Partner not utilizing HTTPS connectivity. Credential information will be sent to the Trading Partner upon successful registration through EDISS Connect.

Trading partners using HTTPS connectivity must utilize an X.509 certificate to secure the connection. Noridian accepts the following certificates:

### **Digicert**

DigiCert SHA2 Assured ID CA

- DigiCert SHA2 Secure Server CA
- DigiCert SHA2 Extended Validation Server CA
- DigiCert SHA2 High Assurance Server CA
- DigiCert Assured ID CA G2
- DigiCert Global CA G2

#### **Entrust**

- Entrust Certification Authority L1K
- Entrust Certification Authority L1M

Passwords are set to automatically expire every 60 days, and new passwords must follow a specific set of defined criteria. If a Trading Partner needs their password reset, procedures are in place to verify specific information within the Trading Partner profile to make sure we are providing an authorized individual with the new password.

Trading Partners are only allowed to send the electronic transactions for which they are registered for with EDISS, all other transactions will be rejected.

### 5 Contact Information

#### **5.1 EDI Customer Service**

Noridian EDISS provides support to our Trading Partner community through several different methods. We provide a help desk for incoming support calls, an email address to which questions can be directed, and a full-service website which contains user guides and online tutorials.

#### **Phone:**

- Jurisdiction E (JE) Part A and B: 855-609-9960
- Jurisdiction F (JF) Part A and B: 877-908-8431

#### **Fax Number:**

701-277-7850

#### **Hours of Operation:**

- Monday Friday 8:00 A.M. 7:00 P.M. (CT)
- Closure Schedule (http://www.edissweb.com/cgp/contact/closures.html)

#### **Mailing Address:**

**EDI Support Services** 

PO Box 6729

Fargo, ND 58108-6729

#### **Email:**

support@edissweb.com

#### 5.2 EDI Technical Assistance

NHS EDISS is available to assist our Trading Partner community with questions on error reports, files sent, the Ability | PC-ACE software, among many other things; however, we are not able to assist with technical issues concerning networking.

ABILITY | PC-ACE allows you to:

- Submit electronic claims
- Check claim status
- Review and print electronic remittance advice
- Track claim submission and payment

Additional information regarding Ability | PC-ACE can be found on our <u>website</u> (http://www.edissweb.com/cgp/software/pcace.html)

# **5.3 Trading Partner Service Number**

See Section 5.2

# 5.4 Applicable Websites / Email

See Section 5.2

# 6 Control Segments / Envelopes

Enveloping information must be as follows:

Table 3. ISA Interchange Control Header

Page #	Element	Name	Codes/Content	Notes/Comments	
C.4	ISA01	Authorization Information Qualifier	00	Medicare expects the value to be 00.	
C.4	ISA02	Authorization Information	-	ISA02 shall contain 10 blank spaces.	
C.4	ISA03	Security Information Qualifier	00	Medicare expects the value to be 00 and ISA04 shall contain 2 blank spaces.	
C.4	ISA04	Security Information	-	Medicare does not use Security Information and will ignore content sent in ISA04.	
C.4	ISA05	Interchange ID Qualifier	27, ZZ	Must be "27" or "ZZ"	
C.4	ISA06	Interchange Sender ID	-	Noridian assigned Submitter ID. This is also required in the GS02.	
C.5	ISA07	Interchange ID Qualifier	27, ZZ	Must be "27" or "ZZ"	
C.5	ISA08	Interchange Receiver ID	-	For specific numbers required for inbound transactions, please view the Carrier Code Listing (http://www.edissweb.com/docs/shared/carrier_codes.pdf) on the EDISS website.	
C.5	ISA11	Repetition Separator	-	Defined by the submitter	
C.6	ISA14	Acknowledgement Requested	1	Medicare requires submitter to send code value 1 – Interchange Acknowledgment Requested (TA1).  Medicare will only return a TA1 segment when there is an error in the ISA/IEA Interchange Envelope.	

Table 4. GS Functional Group Header

Page	#	Element	Name	Codes/Content	Notes/Comments
C.7		GS02	Application Sender Code	-	Noridian assigned Submitter ID.

Page #	Element	Name	Codes/Content	Notes/Comments
C.7	GS03	Application Receiver's Code	-	For specific numbers required for inbound transactions, please view the <a href="Carrier Code Listing">Carrier Code Listing</a> (http://www.edissweb.com/docs/shared/carrier_codes.pdf) on the EDISS website.
C.7	GS04	Functional Group Creation Date	-	Must not be a future date
C.7	GS08	Version Identifier Code	005010X222A1	Medicare expects value "005010X222A1"

Interchange Control (ISA/IEA), Functional Group (GS/GE), and Transaction Set (ST/SE) envelopes must be used as described in the TR3. Medicare's expectations for the Control Segments and Envelopes are detailed in Sections 6.1, 6.2, and 6.3.

#### 6.1 ISA-IEA

#### **Delimiters – Inbound Transactions**

As detailed in the TR3, delimiters are determined by the characters sent in specified, set positions of the ISA header. For transmissions inbound to Medicare FFS, these characters are determined by the submitter and can be any characters as defined in the TR3 and must not be contained within any data elements within the ISA/IEA Interchange Envelope.

#### **Delimiters – Outbound Transactions**

Trading Partners should contact NHS for a list of delimiters to expect from Medicare. Note that these characters will not be used in data elements within an ISA/IEA Interchange Envelope.

Table 5. Outbound Transaction Delimiters

Delimiter	Character Used	Dec Value	Hex Value
Data Element Separator	*	42	2A
Repetition Separator	٨	94	5E
Component Element Separator	·	58	ЗА
Segment Terminator	~	126	7E

#### **Inbound Data Element Detail and Explanation**

All data elements within the ISA/IEA interchange envelope must follow ASC X12N syntax rules as defined within the TR3.

#### **6.2 GS-GE**

Functional group (GS-GE) codes are transaction specific. Therefore, information concerning the GS/GE Functional Group Envelope can be found in Table 4.

#### **6.3 ST-SE**

Medicare FFS follows the HIPAA-adopted TR3 requirements.

# 7 Specific Business Rules

This section describes the specific CMS requirements over and above the standard information in the TR3.

#### 7.1 General Notes

Errors identified for business level edits performed prior to the Subscriber loop (2000B) will result in immediate file failure at that point. When this occurs, no further editing will be performed beyond the point of failure.

The billing provider must be associated with an approved electronic submitter. Claims submitted for billing providers that are not associated to an approved electronic submitter will be rejected. The following table describes segments/ elements not accepted by Medicare.

Table 6. Segment / Elements Not Accepted by Medicare

Page #	Loop ID	Reference	Name	Codes/Content	Notes/Comments
85	2000A	CUR	Foreign Currency Information	-	Medicare does not support the submission of foreign currency.
96	2010AA	REF	Billing Provider UPIN/License Information	-	Must not be present.

Page #	Loop ID	Reference	Name	Codes/Content	Notes/Comments	
106	2010AC	Loop Rule	Pay to Plan Loop	-	Must not be present.	
129	2010BA	REF	Subscriber Secondary Identification (REF01 = "SY")	-	Must not be present.	
138	2010BB	REF	Payer Secondary Identification	-	Must not be present.	
140	2010BB	REF	Billing Provider Secondary Identification	-	Must not be present.	
142	2000C	HL	Patient Hierarchical Level	-	Must not be present. For Medicare, the subscriber is always the same as the patient.	
144	2000C	PAT	Patient Information	-	Must not be present. For Medicare, the subscriber is always the same as the patient.	
147	2010CA	Loop Rule	Patient Name Loop	-	Must not be present.	
186	2300	CN1	Contract Information	-	Must not be present.	
191	2300	REF	Mandatory Medicare (Section 4081) Crossover Indicator	-	Must not be present.	
196	2300	REF	Payer Claim Control Number	-	Must not be present.	
332	2330C	Loop Rule	Other Payer Referring Provider	-	Must not be present.	
336	2330D	Loop Rule	Other Payer Rendering Provider	-	Must not be present.	
340	2330E	Loop Rule	Other Payer Service Facility Location	-	Must not be present.	

Page #	Loop ID	Reference	Name	Codes/Content	Notes/Comments
343	2330F	Loop Rule	Other Payer Supervising Provider	-	Must not be present.
347	2330G	Loop Rule	Other Payer Billing Provider	-	Must not be present.
395	2400	CN1	Contract Information	-	Must not be present.
416	2400	НСР	Line Pricing/Repricing Information	-	Must not be present.

#### 7.2 General Transaction Notes

The following are Medicare-specific general rules pertaining to the 837P transaction:

- The maximum number of characters to be submitted in any dollar amount field is seven characters. Claims containing a dollar amount in excess of 99,999.99 will be rejected.
- Claims that contain percentage amounts with values in excess of 99.99 will be rejected.
- With the exception of the CAS segment, all amounts must be submitted as positive amounts. Negative amounts submitted in any non-CAS amount element will cause the claim to be rejected.
- Claims that contain percentage amounts cannot exceed two positions to the left or the right of the decimal. Percent amounts that exceed their defined size limit will be rejected.
- Only loops, segments, and data elements valid for the TR3 will be translated. Submitting invalid data will cause files to be rejected.
- Medicare requires the NPI be submitted as the identifier for all claims. Claims submitted with legacy identifiers will be rejected.
- National Provider Identifiers will be validated against the NPI algorithm. Claims which fail validation will be rejected.
- The MAC will only accept claims for one line of business per transaction. Claims submitted for multiple lines of business within one ST-SE (Transaction Set) will cause the transaction to be rejected.
- Submissions with more than one GS-GE (Functional Group) per ISA-IEA (interchange) will be rejected.

# 8 Acknowledgments and Reports

Medicare has adopted three acknowledgement transactions with the Version 005010 implementation: the 277CA, the TA1, and the 999. These acknowledgments will replace proprietary reports previously provided by the MACs.

Medicare FFS has adopted a process to only reject claim submissions that are out of compliance with the ASC X12N Version 005010 standard; the appropriate response for such errors will be returned on a 999. Batch submissions with errors will not be rejected in totality, unless warranted.

### 8.1 Report Inventory

- TA1 Interchange Acknowledgement
  - The TA1 interchange acknowledgement confirms successful receipt of an interchange or transmission.
- 999 Functional Acknowledgement
  - The 999 functional acknowledgement confirms the claim file passed standard level syntax and structure editing.
- 277CA Claims Acknowledgement
  - The 277CA claims acknowledgement provides claim-level acknowledgement of all claims received.

More information regarding the above acknowledgements can be found on the <u>NHS website</u> (http://www.edissweb.com/cgp/reports/).

Acknowledgement reports will remain available for trading partner download for 30 days. If not retrieved after 30 days, the acknowledgement reports will be purged.

# 9 Trading Partner Agreement

EDI Trading Partner Agreements ensure the integrity of the electronic transaction process. The Trading Partner Agreement is related to the electronic exchange of information, whether the agreement is an entity or a part of a larger agreement, between each party to the agreement.

Medicare FFS requires all Trading Partners to sign a <u>Trading Partner Agreement</u> (https://connect.edissweb.com/) with NHS.

Additionally, NHS requires trading partners to follow the EDI enrollment process outlined in section 2.2.

# 10 Transaction-Specific Information

This section defines specific CMS requirements over and above the standard information in the ASC X12N 837P TR3.

#### 10.1 Header

The following sub-sections contain specific details associated with header.

#### 10.1.1 Header and Information Source

The following tables define the specific details associated with Header and Information Source:

#### Note:

- A hyphen in the table below means N/A.
- A new table exists for each segment.

Table 7. ST Transaction Set Header

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
70	N/A	ST02	Transaction Set Control Number	-	9	NHS will reject an interchange (transmission) that is not submitted with unique values in the STO2 (Transaction Set Control Number) elements.

Table 8. BHT Beginning of Hierarchical Transaction

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
71	N/A	ВНТ02	Transaction Set Purpose Code	00	2	Must equal "00" (ORIGINAL).
72	N/A	внто6	Claim/Encounter Identifier	СН	2	Must equal "CH" (CHARGEABLE).

# 10.1.2 Loop 1000A Submitter Name

The following table defines the specific details associated with Loop 1000A Submitter Name:

Table 9. Loop 1000A NM1 Submitter Name

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
75	1000A	NM105	Submitter Middle Name or Initial	-	25	The first position must be alphabetic (A-Z).
75	1000A	NM109	Submitter ID	-	80	NHS will reject an interchange (transmission) that is submitted with a submitter identification number that is not authorized for electronic claim submission. Submitter ID must match the value submitted in ISA06 and GS02.

### 10.1.3 Loop 1000B Receiver Name

The following table defines the specific details associated with Loop 1000B Receiver Name:

**Note:** A hyphen in the table below means N/A.

Table 10. Loop 1000B NM1 Receiver Name

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
80	1000B	NM109	Receiver Primary Identifier	-	80	NHS will reject an interchange (transmission) that is not submitted with a valid NHS contractor code. Each individual MAC determines this identifier. Submitter ID must match the value submitted in ISA08 and GS03.

# **10.2 Billing Provider**

The following sub-sections contain specific details associated with Billing Provider.

# 10.2.1 Loop 2000A Billing Provider Detail

The following table defines the specific details associated with Loop 2000A Billing Provider.

Table 11. Loop 2000A Billing Provider Detail

Loop ID	Notes/Comments
2000A	The Billing Provider Detail Section of this CG contains no unique CMS Medicare requirements that differ from the TR3. Refer to the TR3 specifications for the following Loops: 2000A, 2010AA, 2010AB.
2010AA	REF: must not be present (non-VA contractors).  NM109: billing provider must be "associated" to the submitter (from a Trading Partner management perspective) in 1000A NM109.
	NHS will provide appropriate direction to VA providers.

# 10.2.2 Loop 2010AA Billing Provider Name

The following table defines the specific details associated with Loop 2010AA Billing Provider Name.

Note: A hyphen in the table below means N/A.

Table 12. Loop 2010AA Billing Provider Name

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
89	2010AA	NM105	Billing Provider Middle Name	-	25	The first position must be alphabetic (A-Z).
93	2010AA	N403	Billing Provider Postal Code	-	15	When the postal code does not include a +4 value, use 9998.

### 10.3 Subscriber Detail

The following sub-sections contain specific details associated with Subscriber.

# 10.3.1 Loop 2000B Subscriber Hierarchical Level

The following tables define the specific details associated with Loop 2000B Subscriber Hierarchical Level.

Note: A new table exists for each segment.

Table 13. Loop 2000B HL Subscriber Hierarchical Level

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
115	2000B	HL04	Hierarchical Child Code	0	1	The value accepted is "0"

Table 14. Loop 2000B SBR Subscriber Information

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
116	2000B	SBR01	Payer Responsibility Sequence Number Code	P, S	1	The values accepted are "P" or "S"
117	2000B	SBR02	Individual Relationship Code	18	2	For Medicare, the subscriber is always the same as the patient.
118	2000B	SBR09	Claim Filing Indicator Code	МВ	2	For Medicare, the subscriber is always the same as the patient.

Note: A hyphen in the table below means N/A.

Table 15. Loop 2000B PAT Patient Information

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
120	2000B	PAT08	Patient Weight	-	10	For DME claims only, a maximum of 4 whole numbers and up to 2 decimal positions are allowable.

# 10.3.2 Loop 2010BA Subscriber Name

The following tables define the specific details associated with Loop 2010BA Subscriber Name.

#### Note:

- A hyphen in the table below means N/A.
- A new table exists for each segment.

Table 16. Loop 2010BA NM1 Subscriber Name

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
122	2010BA	NM102	Subscriber Entity Type Qualifier	1	1	The value accepted is 1.
122	2010BA	NM105	Subscriber Middle Name	-	25	The first position must be alphabetic (A-Z).

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
122	2010BA	NM108	Subscriber Identification Code Qualifier	МІ	2	The value accepted is "MI"
123	2010BA	NM109	Subscriber Primary Identifier		80	For the Medicare Beneficiary Identifier (MBI): Must be 11 positions in the format of C A AN N A AN N A A N N where "C" represents a constrained numeric 1 thru 9; "A" represents alphabetic character A – Z but excluding S, L, O, I, B, Z; "N" represents numeric 0 thru 9; "AN" represents either "A" or "N".

**Note:** A hyphen in the table below means N/A.

Table 17. Loop 2010BA DMG Subscriber Demographic Information

Page	# Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
127	2010BA	DMG02	Subscriber Birth Date	-	35	Must not be a future date.

# 10.3.3 Loop 2010BB Payer Name

The following table defines the specific details associated with Loop 2010BB Payer Name.

Table 18. Loop 2010BB NM1 Payer Name

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
134	2010BB	NM108	Payer Identification Code Qualifier	PI	2	The value accepted is "PI"

#### **10.4 Patient Detail**

The following sub-sections contain specific requirements for the Patient Detail.

## 10.4.1 Loop 2300 Claim Information

The following tables define the specific details associated with Loop 2300 Claim Information.

#### Note:

- A hyphen in the table below means N/A.
- A new table exists for each segment.

Table 19. Loop 2300 CLM Claim Information

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
158	2300	CLM01	Patient Control Number	-	38	Only 20 characters will be stored and returned by Medicare.
159	2300	CLM02	Total Claim Charge	-	18	Must be >=0 and <= 99,999.9.
			Amount			When Medicare is primary payer, CLM02 must equal the sum of all SV102 service line charge amounts.  When Medicare is Secondary. Total Submitted Charges (CLM02) must equal the sum of all 2320 & 2430 CAS amounts and the 2320 AMT02 (AMT01=D).
159	2300	CLM05-3	Claim Frequency Code	1	1	Must be equal to "1" (ORIGINAL).
163	2300	CLM20	Delay Reason Code	-	2	Data submitted in CLM20 will not be used for processing.

Table 20. Loop 2300 DTP Date Elements

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
164	2300	DTP03	Onset of Current Illness or Injury Date	-	35	Must not be a future date.
165	2300	DTP03	Initial Treatment Date	-	35	Must not be a future date.
167	2300	DTP03	Acute Manifestation Date	-	35	Must not be a future date.
168	2300	DTP03	Accident Date	-	35	Must not be a future date.
169	2300	DTP03	Last Menstrual Period Date	-	35	Must not be a future date.
170	2300	DTP03	Last X-Ray Date	-	35	Must not be a future date.
171	2300	DTP03	Prescription Date	-	35	Must not be a future date.
173	2300	DTP03	Disability From Date	-	35	Future dates are allowed in this situation.
174	2300	DTP03	Last Worked Date	-	35	Must not be a future date.

In the table below, for Loop 2300 Admission Date Segment, if 2400.SV105 = "21", "51" or "61" then 2300 DTP with DTP01 = "435" must be present.

Table 21. Loop 2300 DTP Admission Date

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
176	2300	DTP03	Related Hospitalization Admission Date	-	35	Must not be a future date.
177	2300	DTP03	Related Hospitalization Discharge Date	-	35	Must not be a future date.

In the table below, for Loop 2300 Claim Supplement Information, only the first iteration of the PWK, at either the claim level and/or line level, will be considered in the claim adjudication.

Table 22. Loop 2300 PWK Claim Supplement Information

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
184	2300	PWK02	Attachment Transmission Code	BM, FX, EL, FT	2	Must be "BM", "FX", "EL", or "FT"

**Note:** A hyphen in the table below means N/A.

Table 23. Loop 2300 CR1 Ambulance Transport Information

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
212	2300	CR102	Patient Weight	-	10	A maximum of 4 whole numbers and up to 2 decimal positions are allowable.  Patient weight in excess of 9,999.99 pounds will be rejected.
213	2300	CR106	Transport Distance	-	15	Must not exceed 4 digits.  Transport distance in excess of 9,999 miles will be rejected.

Table 24. Loop 2300 HI Health Care Diagnosis Code

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
227	2300	HI01-2	Health Care Diagnosis Code	-	30	All diagnosis codes submitted on a claim must be valid codes per the qualified code source. Claims that contain invalid diagnosis codes (pointed to or not) will be rejected.

### 10.4.2 Loop 2310A Referring Provider Name

The following table defines the specific details associated with Loop 2310A Referring Provider Name.

**Note:** A hyphen in the table below means N/A.

Table 25. Loop 2310A NM1 Referring Provider Name

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
258	2310A	NM105	Referring Provider Middle Name	-	25	The first position must be alphabetic (A-Z).

### 10.4.3 Loop 2310B Rendering Provider Name

The following table defines the specific details associated with Loop 2310B Rendering Provider Name.

**Note:** A hyphen in the table below means N/A.

Table 26. Loop 2310B NM1 Rendering Provider Name

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
263	2310B	NM105	Rendering Provider Middle Name	-	25	The first position must be alphabetic (A-Z).

# 10.4.4 Loop 2310C Service Facility Location

The following table defines the specific details associated with Loop 2310C Service Facility Location.

**Note:** A hyphen in the table below means N/A.

Table 27. Loop 2310C N4 Service Facility Location

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
274	2310C	N4	Service Facility Location Postal Code	-	15	When the postal code does not include a +4 value, use 9998.

# 10.4.5 Loop 2310D Supervising Provider Name

The following table defines the specific details associated with Loop 2310D Supervising Provider Name.

Table 28. Loop 2310D NM1 Supervising Provider Name

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
281	2310D	NM105	Supervising Provider Middle Name	-	25	The first position must be alphabetic (A-Z).

# 10.4.6 Loop 2320 Other Subscriber Information

The following tables define the specific details associated with Loop 2320 Other Subscriber Information.

#### Note:

- A hyphen in the table below means N/A.
- A new table exists for each segment.

Table 29. Loop 2320 SBR Other Subscriber Information

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
296	2320	SBR01	Payer Responsibility Sequence Number Code	-	1	2320 SBR01 = "P" must be present when 2000B SBR01 = "S"
298	2320	SBR09	Claim Filing Indicator Code	-	2	The value cannot be "MA" or "MB"

In the table below, for Loop 2320 Claim Level Adjustments, CAS segment must not be present when 2000B SBR01 = "P".

Table 30. Loop 2320 CAS Claim Level Adjustments

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
301	2320	CAS01	Claim Level Adjustments	-	2	CAS segment must not be present when 2000B SBR01 = "P"

Table 31. Loop 2320 AMT COB Payer Paid Amount

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
305	2320	AMT01	Coordination of Benefits (COB) Payer Paid Amount	D	3	Medicare requires one occurrence of 2320 loop with an AMT segment AMT01 = "D" must be present when 2000B SBR01 = "S".

# 10.4.7 Loop 2330A Other Subscriber Name

The following tables define the specific details associated with Loop 2330A Other Subscriber Name.

#### Note:

- A hyphen in the table below means N/A.
- A new table exists for each segment.

Table 32. Loop 2330A NM1 Other Subscriber Name

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
313	2330A	NM105	Other Insured Middle Name	-	25	The first position must be alphabetic (A-Z).

Note: A hyphen in the table below means N/A.

Table 33. Loop 2330A REF Other Subscriber Secondary Identification

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
319	2330A	REF02	Other Insured Additional Identifier	-	9	Must be 9 digits with no punctuation.  First 3 digits cannot be higher than "272".  Digits 1-3, 4-5, and 6-9 cannot be zeros (0).

# 10.4.8 Loop 2330B Other Payer Name

The following table defines the specific details associated with Loop 2330B Other Payer Name.

Table 34. Loop 2330B DTP Claim Check or Remittance Date

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
325	2330B	DTP03	Date Time Period	-	35	Must not be a future date.

# 10.4.9 Loop 2400 Service Line Number

The following table defines the specific details associated with Loop 2400 Service Line Number.

#### Note:

- A hyphen in the table below means N/A.
- A new table exists for each segment.

Table 35. Loop 2400 SV1 Professional Service

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
352	2400	SV101-1	Product or Service ID Qualifier	НС	2	Must be "HC".
353	2400	SV101-3, SV101-4, SV101-5, SV101-6	Procedure Modifier	-	2	For DME only: These segments cannot have a value of "EX."  For DME only: When billing for capped rentals and pen pumps with 2 units of service, one of SV101-3, SV101-4, SV101-5, SV101-6 must have a value of "RT" and one of one of SV101-3, SV101-6 must have a value of "LT".
354	2400	SV102	Line Item Charge Amount	-	18	SV102 must be greater than 0. SV102's decimal positions are limited to 0, 1, or 2.

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
355	2400	SV103	Unit or Basis for Measurement Code	MJ, UN	2	"MJ" must be used when SV101-3, SV101-4, SV101-5, or SV101-6 is an anesthesia modifier (AA, AD, QK, QS, QX, QY or QZ). Otherwise, must be "UN".
355	2400	SV104	Service Unit Count	-	15	Must be > 0 with maximum of 4 whole numbers and 1 decimal position (cannot exceed 9999.9). The max value for anesthesia minutes (qualifier MJ) cannot exceed 4 bytes numeric. Cannot exceed 9999. For DME only: SV104 must be "1" or "2" for capped rentals and pen pumps.
360	2400	SV503	Quantity	-	15	DME Only: Must be greater than 0 with a maximum of 3 whole numbers (must not exceed 999).
360	2400	SV504	Monetary Amount	-	18	DME Only: Must be greater than 0 with maximum of 7 digits – inclusive of up to 3 decimal positions.
360	2400	SV505	Monetary Amount	-	18	DME Only: Must be greater than 0 with maximum of 7 digits – inclusive of up to 3 decimal positions.

Table 36. Loop 2400 PWK DME Certificate of Medical Necessity Indicator

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
366	2400	PWK01	Durable Medical Equipment (DME) Certificate of Medical Necessity Indicator	СТ	2	DME only.  Must not be present on Part B claims.

Table 37. Loop 2400 CR1 Ambulance Transport Information

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
369	2400	CR102	Patient Weight	_	10	Must not exceed 4 whole numbers and 2 decimals.
						Patient weight in excess of 9,999.99 pounds will be rejected.
370	2400	CR106	Transport Distance	-	15	Must not exceed 4 digits. Transport distance in excess of 9,999 miles will be rejected.

In the table below, for Loop 2400 DME Certification, CR3 segment must be present when DME CMN information is included with the claim. Must not be present on Part B claims.

Table 38. Loop 2400 CR3 Durable Medical Equipment Certification

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
371	2400	CR303	Unit or Basis for Measurement Code	-	2	DME Only: Must not exceed 2 digits.  DME Only: Must be greater than 0 unless 2400 L02 = "08.02".

In the table below, for Loop 2400 Condition Indicator/ DME, DME only: CR3 segment must be present when DME CMN information is included with the claim. Must not be present on a Part B Claim.

Table 39. Loop 2400 CRC Condition Indicator/ Durable Medical Equipment

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
378	2400	CRC01	Code Category	09	2	DME Only: When CRC Condition Indicator (CRC01 = "09") is submitted, either CRC03 or CRC04 must be "38".

Table 40. Loop 2400 DTP Service Date

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
Page # 381	<b>Loop ID</b> 2400	Reference DTP03	Name  Date – Service Date	- Codes/Content	Length 35	Must not be a future date.  DME only:  Must not be a single date of service when modifier RR is reported with more than 1 unit of service.  When a Service Date range extends into the future, the procedure code must equate to an Inexpensive Supply, PEN Amino Acid, PEN Enteral,
						PEN Immunosuppressant Drug, PEN Kit/Supply, PEN Lipid, PEN Pump, PEN Special Parenteral, or PEN Dextrose/Home Mix.  • Must be a single DOS when procedure code is NOT "E0935" or "E0936" and the procedure code is not considered a Glucose
						Monitoring or Inexpensive Supply, and the procedure code is categorized as Frequently Serviced DME, Inexpensive or Routinely Purchased DME, Capped Rental DME, Stationary Liquid and Portable
						Oxygen Equipment, Oxygen Concentrators, Gaseous Oxygen Equipment, Liquid Oxygen Equipment, or Portable Oxygen Equipment.

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
382	2400	DTP03	Date – Prescription Date	-	35	Must not be a future date.
383	2400	DTP03	Date – Certification Revision / Recertification Date	-	35	DME only: Must not be a future date.  Must not be present on a Part B claim.
384	2400	DTP03	Date – Begin Therapy Date	-	35	DME only: Must not be a future date.  Must not be present on a Part B claim.
385	2400	DTP03	Date – Last Certification Date	-	35	DME only: Must not be a future date.  Must not be present on a Part B claim.
386	2400	DTP03	Date – Last Seen Date	-	35	Segment must not be present for DME claims. Part B only: Must not be a future date
387	2400	DTP03	Test Performed Date	-	35	Must not be a future date.
389	2400	DTP03	Last X-Ray Date	-	35	Segment must not be present for DME claims. Part B only: Must not be a future date.
390	2400	DTP03	Initial Treatment Date	-	35	Must not be a future date.

Table 41. Loop 2400 QTY Ambulance Patient Count

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
391	2400	QTY02	Ambulance Patient Count	-	15	Does not apply to DME.  Must be between 1 and 99.

**Note:** Any values in the Codes/Content column in brackets describes the type of value sent. The Notes/Comments column will have the data entered in the field.

Table 42. Loop 2400 QTY Obstetric Anesthesia Additional Units

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
392	2400	QTY02	Obstetric Additional Units	-	15	Does not apply to DME.  Must be between 1 and 99.

Note: A hyphen in the table below means N/A.

Table 43. Loop 2400 MEA Test Results

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
394	2400	MEA03	MEA – Test Results	-	20	Must not exceed 2 whole numbers and 1 decimal position.  Must be a value greater than or equal to 0 and less than or equal to 99.9.

# 10.4.10 Loop 2410 Drug Identification

The following tables define the specific details associated with Loop 2410 Drug Identification. For DME claims, must be present when 2400 SV101-1 contains a default Healthcare Common Procedure Coding System (HCPCS) code.

#### Note:

- A hyphen in the table below means N/A.
- A new table exists for each segment.

Table 44. Loop 2410 LIN Drug Identification

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
425	2410	LIN02	Product or Service ID Qualifier	N4	2	Must be N4.
425	2410	LIN03	National Drug Code	-	11	Must be exactly 11 alphanumeric positions.

Table 45. Loop 2410 CTP Drug Quantity

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
426	2410	CTP04	National Drug Unit Count	-	15	Must be greater than 0 and less than or equal to 9,999,999.999.
427	2410	CTP05-1	Unit or Basis for Measurement Code	-	2	For DME claims only: Must be "UN" when 2410 LIN03 NDC is found on Medicare file as associated to an Oral Cancer Drug HCPCS code.

In the table below, for Loop 2410 Prescription or Compound Drug Association Number, must be submitted with REF01 = "XZ" if service line includes modifier J1.

Table 46. Loop 2410 CTP Prescription or Compound Drug Association Number

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
428	2410	REF01	Reference Identification Qualifier	XZ	3	If service line (SV1) includes Modifier J1, REF01 = "XZ" must be present.

# 10.4.11 Loop 2420A Rendering Provider Name

The following table defines the specific details associated with Loop 2420A Rendering Provider Name.

Table 47. Loop 2420A NM1 Rendering Provider Name

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
431	2420A	NM105	Rendering Provider Middle Name	-	25	The first position must be alphabetic (A-Z).

# 10.4.12 Loop 2420C Service Facility Location

The following table defines the specific details associated with Loop 2420C Service Facility Location.

Note: A hyphen in the table below means N/A.

Table 48. Loop 2420C N4 Service Facility Location

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
446	2420C	N4	Service Facility Location Postal Code	-	15	When the postal code does not include a +4 value, use 9998.

### 10.4.13 Loop 2420D Supervising Provider Name

The following table defines the specific details associated with Loop 2420D Supervising Provider Name.

Note: A hyphen in the table below means N/A.

Table 49. Loop 2420D NM1 Supervising Provider Name

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
450	2420D	NM105	Supervising Provider Middle Name	-	25	First position of Supervising Provider Middle Name must be alphabetic (A-Z).

# 10.4.14 Loop 2420E Ordering Provider Name

The following table defines the specific details associated with Loop 2420E Ordering Provider Name.

Table 50. Loop 2420E NM1 Ordering Provider Name

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
455	2420E	NM105	Ordering Provider Middle Name	-	25	First position of Ordering Provider Middle Name must be alphabetic (A-Z).

### 10.4.15 Loop 2420F Referring Provider Name

The following table defines the specific details associated with Loop 2420F Referring Provider Name.

**Note:** A hyphen in the table below means N/A.

Table 51. Loop 2420F NM1 Referring Provider Name

Page :	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
466	2420F	NM105	Referring Provider Middle Name	-	25	First position of Referring Provider Middle Name must be alphabetic (A-Z).

### 10.4.16 Loop 2430 Line Adjudication Information

The following tables define the specific details associated with Loop 2430 Line Adjudication Information.

#### Note:

- A hyphen in the table below means N/A.
- A new table exists for each segment.

Table 52. Loop 2430 SVD Line Adjudication Information

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
481	2430	SVD03-1	Product or Service ID Qualifier	НС	2	Must be "HC". Claims with "ER", "IV" or "WK" will be rejected.
483	2430	SVD05	Paid Service Unit Count	-	15	Must not exceed 4 whole numbers and one decimal position.  Must be a value greater than or equal to 0 and less than or equal to 9999.9
483	2430	SVD06	Bundled Line Number	-	6	Must be an integer (no decimals).

Table 53. Loop 2430 DTP Line Check or Remittance Date

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
490	2430	DTP03	Adjudication or Payment Date	-	35	Must not be a future date.

## 10.4.17 Loop 2440 Form Identification Code

The following tables define the specific requirements for the Loop 2440 Form Identification Code data.

#### Note:

- This loop is only for Durable Medical Equipment (DME) Claims. This loop must not be present for Part B
  Claims.
- A new table exists for each segment.

Table 54. Loop 2440 LQ Form Identification Code

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
493	2440	LQ01	Code List Qualifier Code	UT	3	DME Must be "UT". DME claims only.  Not valid for Part B Claims.

In the table below, for loop 2440 Supporting Documentation, FRM is only for Durable Medical Equipment (DME) Claims. This loop must not be present for Part B Claims.

Table 55. Loop 2440 FRM Supporting Documentation

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
495	2440	FRM01	Question Number/Letter	-	20	DME claims only. When LQ02='484.03' and FRM01='6A' or '6B', an occurrence of FRM01 with the value of '6C' is required.

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
495	2440	FRM01	Question Number/Letter	-	20	DME claims only. When LQ02='484.03' and FRM01='6C', an occurrence of FRM01 with the value of '6A' or '6B' is required.
495	2440	FRM01	Question Number/Letter	-	20	DME claims only. FRM01 Question number must be valid for the LQ02 CMN/DIF number.
495	2440	FRM01	Question Number/Letter	-	20	DME claims only.  When LQ02 = '484.03", occurrences of FRM01 = "1A" or "1B", and FRM01 = "1C", and FRM01 = "05" must be present.
495	2440	FRM01	Question Number/Letter		20	DME claims only.  When LQ02 = '484.03" and FRM01 = "1A", and FRM03 is greater than or equal to "55.5" and less than or equal to "59.4", occurrences of FRM01 = "07", "08" and "09" must be present.
495	2440	FRM01	Question Number/Letter	-	20	DME claims only.  When LQ02 = '484.03" and FRM01 = "1B", and FRM05 is greater than or equal to "88.5" and less than or equal to "89.4", occurrences of FRM01 = "07", "08" and "09" must be present.

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
495	2440	FRM02	Question Number/Letter	-	1	DME claims only.  When LQ02 = '484.03"  and FRM with FRM01 = "04", "07", "08" or "09" is present, then FRM02 must be present.
495	2440	FRM03	Question Response	-	50	DME claims only.  When LQ02 = "04.04" and FRM01 = "07B", "09B", "10B" or "10C", FRM03 must be present.
495	2440	FRM03	Question Response	-	50	DME claims Only.  When LQ02 = "06.03" and FRM01 = "02" or "03", FRM03 must be present.
495	2440	FRM03	Question Response	-	50	DME claims Only.  When LQ02 = "09.03" and FRM01 = "01", "01A", "01B", "01C", "02", "02A", "02B", "02C", "03" or "04", FRM03 must be present.
495	2440	FRM03	Question Response	-	50	DME claims Only.  When LQ02 = "10.03" and FRM01 = "03", "03A",  "03B", "04", "04A", "04B",  "05", "06", "08A", "08C",  "08D", "08F", "08G" or  "09", FRM03 must be present.
495	2440	FRM03	Question Response	-	50	DME claims Only.  When LQ02 = '484.03"  and FRM with FRM01 = "1A", "1B", "02", "03" or "05" is present, then  FRM03 must be present.
495	2440	FRM04	Question Response	-	8	DME claims Only.  Must not be a future date.

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
495	2440	FRM04	Question Response	-	8	DME claims Only.  When LQ02 = "484.03"  and FRM with FRM01 = "1C" or "6C" is present, then FRM04 must be present.
495	2440	FRM05	Question Response	-	6	DME claims Only.  When LQ02 = "10.03" and FRM01 = "08B", "08E" or "08H", FRM05 must be present.
495	2440	FRM05	Question Response	-	6	DME claims Only. When LQ02 = "484.03" and FRM01 = "1B" or "6B", FRM05 must be present.
495	2440	FRM05	Question Response	-	6	DME claims Only.  Must be between 0 and 100 and can contain up to one decimal place.

### 10.4.18 Transaction Set Trailer

The following table defines the specific details associated with the Transaction Set Trailer.

Table 56. SE Transaction Set Trailer

Page #	Loop ID	Reference	Name	Codes/Content	Length	Notes/Comments
496	-	SE02	Transaction Set Control Number	-	9	Must have the same value as ST02. Must be greater than zero.

# 11 Appendices

## 11.1 Implementation Checklist

Register in EDISS Connect

• Section 2.2 can assist with registering via EDISS Connect.

Sign up for the newsletter

• Section 2.1 contains instructions for subscribing to the EDISS newsletter.

Electronically sign Enrollment Form

• The Enrollment form is signed as part of the EDISS Connect registration process. Section 2.2 and Section 9 contain additional information regarding the Enrollment Form.

Test the transaction (Only required for 837 transactions)

Section 3 details testing policies and procedures.

Noridian EDISS created a <u>guide</u> (http://www.edissweb.com/cgp/registration/) for providers transitioning to electronic transactions.

# 11.2 Transmission Examples

#### Figure 2. 999 Example

```
ISA*00* *00* *ZZ*02402 *ZZ*ID99999 *YYMMDD*HHMM*^*00501*999999999*0*P*:~
GS*FA*02402* ID99999*YYYYMMDD*HHMM*1632*X* 005010X231A1~
GE*1*1632~
IEA*1*99999999
```

#### Figure 3. 277CA Example

```
ISA*00* *00* *ZZ*02402 *ZZ*ID99999 *YYMMDD*HHMM*^*00501*999999999*0*P*:~
GS*HN*02402* ID99999*YYYYMMDD*HHMM*1632*X* 005010X214~
GE*1*1632~
IEA*1*99999999
```

# 11.3 Frequently Asked Questions

Frequently asked questions can be accessed <u>Medicare FFS EDI Operations</u> (https://www.cms.gov/ElectronicBillingEDITrans/) and <u>NHS Frequently Asked Questions</u> (http://www.edissweb.com/docs/shared/edi fag.pdf).

# 11.4 Acronym Listing

Table 57. Acronyms Listing and Definitions

Acronym	Definition	
276	276 Claim Status Request transaction	
277	277 Claim Status Response transaction	
277CA	277 Claim Acknowledgement	
835	835 Electronic Remittance Advice transaction	
837P	837 Professional Claims transaction	
999	Implementation Acknowledgment	
ASC	Accredited Standards Committee	
CAQH CORE	Council for Affordable Quality Healthcare – Committee on Operating Rules for Information Exchange	
CEDI	Common Electronic Data Interchange	
CG	Companion Guide	
CMS	Centers for Medicare & Medicaid Services	
CMN	Certificate of Medical Necessity	
DME	Durable Medical Equipment	
EDI	Electronic Data Interchange	
ERA	Electronic Remittance Advice	
FFS	Medicare Fee-For-Service	
FISMA	Federal Information Security Management Act	
GS/GE	GS – Functional Group Header / GE – Functional Group Trailer	
HCPCS	Healthcare Common Procedure Coding System	
HIPAA	Health Insurance Portability and Accountability Act of 1996	
НТТР	Hyper Text Transfer Protocol	
HTTPS	Hyper Text Transfer Protocol Secure	
IOM	Internet-only Manual	
ISA/IEA	ISA – Interchange Control Header / IEA – Interchange Control Trailer	
MAC	Medicare Administrative Contractor	
МВІ	Medicare Beneficiary Identifier	

Acronym	Definition	
MIME	Multipurpose Internet Mail Extensions	
NCPDP	National Council for Prescription Drug Programs	
NPI	National Provider Identifier	
NSV	Network Service Vendor	
PDAC	Pricing, Data Analysis and Coding	
PECOS	Provider Enrollment Chain and Ownership System	
PHI	Protected Health Information	
PID	Packet Identifier	
sFTP	Secure File Transfer Protocol	
SOAP	Simple Object Access Protocol	
ST/SE	ST – Transaction Set Header / SE – Transaction Set Trailer	
TA1	Interchange Acknowledgment	
TR3	Technical Report Type 3	
TRN	Transaction Acknowledgment report (CEDI proprietary report)	
WSDL	Web Services Description Language	
X12	A standards development organization that develops EDI standards and related documents for national and global markets. (See the official ASC X12 website.)	
X12N	Insurance subcommittee of X12	

# 11.5 Change Summary

The following table details the version history of this CG.

Table 58. Companion Guide Version History

Version	Date	Section(s) Changed	Change Summary
1.0	November 5, 2010	All	Initial Draft
2.0	January 3, 2010	All	1st Publication Version
3.0	April 2011	6.0	2nd Publication Version
4.0	September 2015	All	3rd Publication Version
5.0	March 2019	All	4th Publication Version
6.0	June 2019	2.2, 3.1, 5.1, 5.2, 11.3	5 <sup>th</sup> Publication Version Hyperlinks in the listed sections were updated.
6.1	May 2020	1.3 and 11.4	X12 and WPC references updated.
7.0	February 2023	All	508 Compliance updates
7.1	June 2023	10.2.2, 10.4.4 and 10.4.12	Added instruction for +4 postal code when not provided by USPS.